



## 14P7 Rec'6 POT/PTO 25 JAN 2006 7

PATENT 3502-1088

#### IN THE U.S. PATENT AND TRADEMARK OFFICE

In re application of

Rauno KOIVUSAARI, et al.

Conf. Unknown

Application No. 10/554,284

Group Unknown

Filed October 25, 2005

PRODUCTION INSTALLATION

#### SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

January 25, 2006

Sir:

In compliance with Rules 1.97 and 1.98, and in ful-fillment of the duty of disclosure under Rule 1.56, the cited documents are made of record on the enclosed PTO Form-1449.

A concise explanation of the relevance of these items is that these references were cited by the Finnish Patent Office in the corresponding Finnish Application Serial No. 20030635, filed April 25, 2003. A copy of that Search Report is attached hereto.

Respectfully submitted,

YOUNG & THOMPSON

Robert J. Patch, Reg. No. 17,355

745 South 23<sup>rd</sup> Street Arlington, VA 22202

Telephone (703) 521-2297

Telefax (703) 685-0573

(703) 979-4709

RJP/mjr

# INFORMATION DISCLOSURE CITATION IN AN APPLICATION

(Use several sheets if necessary)

Attorney Docket No.: 3502-1088

Application No. 10/554,28

Applicant:

Rauno KOIVUSAARI, et al.

Filing Date:

Group Art Unit:
Unknown

October 25, 2005

### U.S. PATENT DOCUMENTS Date Name C

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing date (if appropriate
	4,170,738	10/09/1979	Smith			
	4,371,788	02/01/1983	Smith, Jr.			
	4,371,788 4,002,416	01/11/1977	Axford			
		<u> </u>				
		1				
	•					
		FOREIGN I	PATENT DOCUMENTS			
Examiner	Document Number	Date		Class	Subclas	
Initial	Document (value)					Yes No

### OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

EXAMINER: DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

<sup>\*</sup> English language abstract provided for the Examiner's convenience